



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/805,155

03/19/2004

Christopher D. Russo

81207/7114

8639

37123

7590

06/19/2006

FITCH EVEN TABIN & FLANNERY
120 SOUTH LASALLE SUITE 1600
CHICAGO, IL 60603

EXAMINER

WRIGHT, INGRID D

ART UNIT

PAPER NUMBER

2835

DATE MAILED: 06/19/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/805,155

Applicant(s)

RUSSO, CHRISTOPHER D.

Examiner

Ingrid Wright

Art Unit

2835

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 06 April 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-6,8-13 and 15 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-6,8-13 and 15 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 3/19/04 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input checked="" type="checkbox"/> Other: <u>2 Attachments</u> . |

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 8 & 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kubota US 5666713.

Note: See notation on attached fig. 1 of Kubota for elements representing claimed limitations in the instant application.

With respect to claim 8, Kubota teaches an apparatus of a prior art reference comprising: a first chassis (250A); and a second chassis (250B) joined to the first chassis (250A) wherein the first chassis (250A) is identical to a shape of the second chassis (250B) and includes an empty portion (see, notation on attached fig. 1 prior art ref. of Kubota) and a non-empty portion (see, notation on attached prior ref. fig. 1 of Kubota), wherein the empty portion (see, notation on attached prior art ref. fig. 1 of Kubota) of the first chassis (250A) receives at least a portion of the non-empty portion (see, notation on attached fig. 1 prior art ref. of Kubota) of the second chassis (250A).

Kubota is silent as to specifically a computer chassis.

Art Unit: 2835

It would have been obvious to one having ordinary skill in the art at the time the invention was made to utilize a computer chassis or any type of chassis, over the chassis of Kubota, in order to provide an enclosure or housing for electronic equipment.

With respect to claim 12, in regards to all the limitations of claim 8 above, Kobota teaches a fastener (4,5) for fastening the first chassis (250B) to the second chassis (250B).

Kubota is silent as to specifically a computer chassis.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to utilize a computer chassis or any type of chassis, over the chassis of Kubota, in order to provide an enclosure or housing for electronic equipment.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 9,10,13 & 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kubota US 5666713, in view of Treiber et al. 20030011976 A1, further 20030011976 A1 in view of Sheehan US 6991097 B1.

Art Unit: 2835

With respect to claim 9, in regards to all the limitations of claim 8 above, Kubota teaches a first chassis (250A) and a second chassis (250B) joined by nesting the first chassis (250A) and the second chassis (250B).

Kubota is silent as to a first and second computer chassis nested together in a single compartment and a pallout layout.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to utilize a computer chassis or any type of chassis, over the chassis of Kubota, in order to provide an enclosure or housing for electronic equipment.

Treiber et al. teaches a first chassis and a second chassis (100,100) in a single compartment (10), for providing a modular packaging configuration of a computer system (see, Abstract & notations on attached fig. 4 of Treiber et al.).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to utilize the single compartment of Treiber et al., in the invention of Kubota, in order to provide a modular packaging configuration of a computer system (see, Abstract of Treiber et al.) (see also, notations on attached fig. 4 of Treiber et al.).

Sheehan teaches a pallet layout (22), for holding electronic manufactures (see, col. 3, lines 48-50 of Sheehan).

Art Unit: 2835

It would have been obvious to one having ordinary skill in the art at the time the invention was made to utilize the pallout layout of Sheehan, in the invention of Kubota, in order to provide a means for holding electronic manufactures (see, col. 3, lines 48-50 of Sheehan).

With respect to claim 10, in regards to all the limitations of claim 8 above, Kubota teaches a first chassis (250A) and second chassis (250B).

Kubota is silent as to a single compartment and a pallet layout.

Treiber et al. teaches a single compartment (10) for a first and second chassis (100,100), for providing a modular packaging configuration of a computer system (see, Abstract & notations on attached fig. 4 of Treiber et al.).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to utilize the single compartment of Treiber et al., in the invention of Kubota, in order to provide a modular packaging configuration of a computer system (see, Abstract & notations on attached fig. 4 of Treiber et al.).

Sheehan teaches a pallet layout (22), for holding electronic manufactures (see, col. 3, lines 48-50 of Sheehan).

Art Unit: 2835

It would have been obvious to one having ordinary skill in the art at the time the invention was made to utilize the pallout layout of Sheehan, in the invention of Kubota, in order to provide a means for holding electronic manufactures (see, col. 3, lines 48-50 of Sheehan).

With respect to claim 13, in regards to all the limitations of claim 8 above, Kobota teaches a pair of joined first chassis (250A) and second chassis (250B)

Kubota is silent as to a single compartment and a pallout layout and a first & second computer chassis.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to utilize a computer chassis or any type of chassis, over the chassis of Kubota, in order to provide an enclosure or housing for electronic equipment.

Treiber et al. teaches a first and a second chassis (100,100) arranged in a single compartment (10), for providing a modular packaging configuration of a computer system (see, Abstract & notations on attached fig. 4 of Treiber et al.).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to utilize the single compartment of Treiber et al., in the invention of Kubota, in order to provide a modular packaging configuration of a computer system (see, Abstract of Treiber et al.) (see also, notations on attached fig. 4 of Treiber et al.).

Art Unit: 2835

Sheehan teaches a pallet layout (22), for holding electronic manufactures (see, col. 3, lines 48-50 of Sheehan).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to utilize the pallout layout of Sheehan, in the invention of Kubota, in order to provide a means for holding electronic manufactures (see, col. 3, lines 48-50 of Sheehan).

Regarding the method claim 15, the method steps method comprising steps of: a first chassis (250A) and second chassis (250B) each formed into a shape wherein the shape includes an empty portion (see, notation on attached fig. 1 of Kubota) and a non-empty portion (see, notation on attached fig. 1 of Kubota); (b) the first chassis (250A) and second chassis (250B) joined so that the empty portion (see, notation on attached fig. 1 of Kubota) of the first chassis (250A) receives at least a portion of the non-empty portion (see, notation on attached fig. 1 of Kubota) of the chassis (250B); and (c) the first and second chassis (250A, 250B) arranged in a single chassis (250A) compartment of a pallet layout (22) wherein a rectangular volume of the first chassis (250A) and second chassis (250B) is less than twice a rectangular volume of a single chassis (10).

Kubota is silent as to specifically a computer chassis.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to utilize a computer chassis or any type of chassis, over the chassis of Kubota, in order to provide an enclosure or housing for electronic equipment.

3. Claims 1-6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kubota US 5666713, in view of Treiber et al. US 2003001976 A1, further in view of Sheehan 6991097 B1 & Murphy US 5159528.

Regarding the method claims 1-6, the method steps recited in the claims are necessitated by the device structure as taught by Kubota. Kubota disclosed a first chassis (250A) and second chassis (250B) formed wherein the shape of the first chassis (250A) is identical to a shape of the second chassis (250B) includes an empty portion (see, notation on attached fig. 1 of Kubota) and a non-empty portion (see, notation on attached fig. 1 of Kubota); and (b) joining the first chassis (250A) and second chassis (250B) so that the empty portion (see, notation on attached fig. 1 of Kubota) of the first chassis (250A) receives at least a portion of the non-empty portion (see, notation on attached fig. 1 of Kubota) of the second chassis (250B), wherein the first chassis (250A) and the second chassis (250B) are nested in a single compartment (10) of a pallet layout (22), wherein the joined first chassis (250A) and second chassis (250B) are joined in a single compartment (10) of a pallet layout (22) to increase shipping density of a pallet layout (22), and a number of pre-assembled components (30) in the non-empty portion (see, notation on attached fig. 1 of Kubota) of at least one of the first chassis (250A) and the second chassis (250B), wherein the first chassis (250A) to the second chassis (250B), wherein multiple pairs of the

Art Unit: 2835

joined first chassis (250A) and second chassis (250B) in a single compartment (10) of a pallet layout (22) to increase shipping density of the pallet layout (22).

Kubota is silent as to specifically a computer chassis.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to utilize a computer chassis or any type of chassis, over the chassis of Kubota, in order to provide an enclosure or housing for electronic equipment.

With respect to claim 11, Kubota teaches, in regards to all the limitations of claim 8 above, a first chassis (250A) and second chassis (250B).

Kubota lacks a number of pre-assembled components assembled in the non-empty portion of at least one of a first computer chassis and second computer chassis.

Treiber et al. lacks a non-empty portion.

Sheehan lacks a non-empty portion.

Murphy teaches a number of pre-assembled components (30) assembled in the non-empty portion of at least a computer chassis (10), for providing a modular design that allows for more efficient manufacturing and handling (see, Abstract of Murphy).

Art Unit: 2835

It would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize a number of pre-assembled components assembled in the non-empty portion of at least a second chassis as taught by Murphy, in the invention of Kubota, as modified by Treiber et al. & Sheehan, in order to provide a modular design that allows for more efficient manufacturing and handling (see, Abstract of Murphy).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to utilize a computer chassis or any type of chassis, over the chassis of Kubota, in order to provide an enclosure or housing for electronic equipment.

Response to Arguments

5. Applicant's arguments filed 4/6/06, have been fully considered, but are moot in view of the new grounds of rejection.

With respect to Applicant's arguments, regarding the first computer chassis not being the identical shape of the see, notation on attached fig. 4 of Treiber et al., the Examiner notes that Kubota teaches a first chassis (250A), identical in shape, to a second chassis (250B). Although, Kubota does not specifically teach a computer chassis, it would have been obvious to one having ordinary skill in the art to utilize a computer chassis or any type of chassis to provide an enclosure or housing for electronic equipment.

Art Unit: 2835

With respect to Applicant's argument, regarding the first computer chassis and the second computer chassis not being arranged in a single chassis compartment of a pallet layout, the Examiner notes that Kubota teaches a first chassis (250A), identical shape to a second chassis (250B), but lacks a single compartment and a pallet, and Treiber et al. is relied upon to teach a first and second chassis (100,100) stored in a single compartment (10) and Sheehan is relied upon to teach a pallet layout (22).

With respect to Applicant's argument, regarding the first computer chassis and the second computer chassis not being formed and being identical in shape, the Examiner notes that Kubota teaches a first chassis (250A) and a second chassis (250B), formed and comprising identical shapes.

Conclusion

6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure: Wong et al. US 5136468 shows the state of the general art regarding modular computer chassis.


7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ingrid Wright whose telephone number is (571)272-8392. The examiner can normally be reached on 21 M-F.

Art Unit: 2835

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lynn Feild can be reached on (571)272-2800, ext 35. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

IDW



LYNN FEILD
SUPERVISORY PATENT EXAMINER




Fig. 1 PRIOR ART

